General and
Secret

IX 4

References
158-35-166

1942 Provincial

File No. 162-41
Serial Nos 1, 2

References
Rel 66-45-8
Edn 150-47-1, 2

GENERAL AND REVENUE SECRETARIAT

Serial Nos 2

Part B for February 1942

SUBJECT

Re: Certain difficulties experienced with the recovery of water charges from the Govt. buildings & accumulation of arrears thereto

The Secy to Govt PWD
Chief Engr
Rl Engr B Branch
Comptroller to Govt
Heads of other Depts

Lr No. 9054-10 dated 24 Feb.

Issues in connection

1/16

5768
I

General and Revenue Secretariat — ML File No — of 194/42 — [App F III-2

Serial No

From The Chief Engineer
No 17589 D 27-3-42
Brings to the notice of Govt the practical difficulties experienced in regard to the recovery of water charges on Govt Buildings in which Govt offices are located and requests sanction to provide for these charges in the Budget under "12-GI Admn" & to adjust the same thro the Comptroller

The source from which the water charges on Govt Buildings is to be met has been indicated in para 5 of Govt L 1447-9/ML 5-8-35 & D 3-8-35

The No note referred to by the Chief Engineer in the letter is flagged 'O'.

The Comptroller & the Financial Secy may perhaps be consulted

Routed for orders with references

(1) The Executive Engineer's letter, Copy enclosed to P W & H, refers to various other points as the removal of meters from Govt Buildings & Charging an average rate based on 3 years actuals etc But the C E seeks orders only on the question of a Centralised provision for water charges on Govt

NOTE—Cont Sheet

Provision under 12 Gl Admn" for water Charges on Govt Bldgs

File No | of 194 | General and Revenue Secretariat

Serial No

"
Buildings under 12 Genl Administration" in the Budget

This point is nothing new & has been duly considered before the issue of the G.O. dt 31 7 1939 Reference is invited to the Fin Depts note 3/13 2 1939 ?

The present arrangement of Charging the water rate to the annual Maintenance Estimate of the Building Concerned & of passing the excess water Charges from the Contingencies of the offices Concerned is sufficiently simple and also accords with the accepted rules of Classification

The difficulties brought to notice by the Ex Engineer are really not traceable to any defect in the system, Perhaps, they are created by the offices Concerned The number of hands in an office is not, per instance, a fluctuating factor Even if there is any change, it cannot certainly be violent enough to produce any sharp variation in the excess water Charges.

The new proposal to provide under "12 Genl Administration" is clearly attended with grave accounting inconveniences

Provision under "12 Cent Adm" for Water Charges on Crown Bdgs

General and Revenue Secretariat

File No 162/768/1 of 194 1/3 [App F III—2

Serial No

The size of the provision has to be determined by the needs of the several offices, which have to report to the Comptr. The offices could as well assess their needs to get the necessary grant under these Contingencies. Want of allotment is by no means a plea, as the Heads of Depts & offices are expected to apply for any additional allotment in time.

Again, the apportionment, final debits & a good many "deduct" entries etc, would mean avoidable work on the Audit Offce. Above all, to bring the provision under "12 Cent Adm", as proposed, would be repugnant to the rule of Budget Classification.

All things considered, the balance of advantage seems to lie in the Continuance of the existing arrangement, any marked change in which might possibly necessitate an avoidable Reference to the Legislature Comnt.

The Fd Secy may be Consulted on the proposal made by the Chief Engr

5/4/42

Law Secy 7/4/42

Fin Secy m/c 8/4/42

SECTL DEPT 29 07 7 APR 1942 GOVT OF MYSORE

NOTE—Contn Sheet

WD 04155—GPB—55 000—23 10 41

5966

5768/L

File No | of 194 | General and Revenue Secretariat

Serial No 5966

12) A change in the existing mode of accounting is not called for The difficulties brought to notice can, however, be remedied to some extent as noted below -

1) Preparation of a number of bills against one meter account and watching recoveries thereof is a necessary item of work and cannot be avoided

2) Chronic delay on the part of Departments in paying their water bills can be brought to the notice of Government The departments who have delayed so far may be asked to settle the dues immediately

3) The difficulty complained of in the matter of apportionment of water charges on the basis of number of officials in each office will of course be real when the strength fluctuates very frequently To avoid possible inconvenience on this account, the strength of each office may be taken as a constant figure for this purpose on the basis of that existing when the last apportionment was made subject to revision once in 5 years

13) Submitted for orders if approved, the file will be sent to the chief Engineer

Recovery of water charges - Govt Buildings

General and Revenue Secretariat — File No 5768/I of 1941/42 — [App F III—2

Serial No

for his remarks on the opinion expressed by the Fl Secy.

Ms. 4/5

Law Secy 4/5/42

Ms 4/5

Hm 5/5/42

SECY LAW DEPT 3931 4 AUG 1942 GOVT OF MYSORE

OFFICE OF THE CHIEF ENGINEER OF MYSORE REGD NO 5551 DATE 8/8/42 BANGALORE

Ms. 425 dt 6/5/42

14) Forwarded with compliments to the Chief Engineer of Mysore for furnishing remarks — B.o

Ramachandra 5/5/42 Finsec to Govt Law Secy

Submitted

Br II(a) 6/5/42

Secy 7/5/42

U O No 54 /42/H, dated 27 July 1942

15) Returned, with compliments

16) 2 A copy of the x note dated 16th June 1942 furnished by the Executive Engineer, Water Supply Division is enclosed

SECY LAW DEPT 1026 27 JUL 1942 GOVT OF MYSORE

17) 3 To overcome the various difficulties that are being now experienced, it looks appropriate to fix up the water charges on the strength of each office as last apportioned and to take this figure as constant for purposes of fixing the charges subject to revision once in five years if necessary, as opined by the Financial Secretary

18) 4 The other suggestion of the Executive

NOTE—Contn Sheet

WD 04155—GPB—55 000—23 10 41

(6) 6

File No 5765/1 of 194 | General and Revenue Secretariat

Serial No

Executive Engineer, Water Supply Division is to remove the meters from these buildings and as such there will be no necessity to meter such installations as the average of the last several years gives a fairly good idea of consumption which is practically constant as the number of hands in each office being unaltered

(19) 5. When the strength and consumption are once fixed, the shifting of an office from one building to another will not affect the charges of the building as a whole Further there are definite advantages in removing these meters, i e , firstly the Government Departments will pay a fixed sum during each quarter on the basis of average consumption and when these meters are used elsewhere there will be additional revenue . Secondly, the Departmental Officers can prepare their Budget estimates under water charges with greater accuracy and pay up the amounts which are ear-marked for the purpose without allowing them to fall into arrears

(20) 6 Orders of Government may kindly be communicated early in the matter.

(21) 7 This disposed of your reminder No L 595 dated 17th July 1942

25/7/42

Chief Engineer of Mysore

Secretary to Government
Law Department

/24th

Supply
X Ra

27-7-42

Serial No

22 subd for orders whether the financial secy and the Comptroller may be consulted unofficially on the opinion furnished by the Chief Engineer

23) The H Leg may be consulted if the Chief Engr's proposal may be accepted and orders issued accordingly

Hd Leg) 28/7/42

SECY LAW DEPT 1105 23 JUL 1942 GOVT OF MYSORE

Cus 28-7-42

Fin Secy D.C

FIN U.O.No.F1435 29

24) To Comptroller w/r for favour of remarks

No 107/SpL/W/12-8-42 JLJ 29/7/42

W A 91

COMPTROLLER'S OFFICE Dy 79/SpL 29 JUL 1942 SPECIAL SECTION

U.O.No.127/WAD-I dated the 8th August 42

25) Returned with Compliments -

26) The proposal of the Chief Engineer is some what similar to the case of Electrical installations in Government Offices, for which a flat rate for each light or plug or fan is levied irrespective of the actual consumption. But all the same the Electrical Departmen have not removed the meters in cases of heavy consumptio as a sort of check. The P W D however propose the water meters being removed and used elsewhere more beneficially The proposals of the Chief Engineer

NOTE—Contn Sheet A

6)(2)/ 2

No — of 194 | General and Revenue Secretariat

Serial No 1 A

may be accepted The desirability of having a similar check as in the case of the Electrical Department may also be considered

Dy Comptroller
Pri For Comptroller on leave

27) A I agree with the Comptroller

US 8 42
JJ 11 8

W 1 7 - 6 42

Letter No 10974-6 Dy 24-12-42 from the Chief Engineer Mysore, P.W.D forwarding a statement showing the arrears of water revenue due from certain Post Offices under Non-domestic to end of Sept 1942 and requests, that with a view to recover the arears promptly, the desirability of sending the bills direct to the Comptroller with the necessary authorisation to effect adjustment against the Contingent Grants of the several offices by making the required provision therefor in the Budget under 112 Administration

5768 / 3958 / 4803 / 19

Continuation Sheet ML File No / Current No of 41/42 Page

Letter No 14371-D/8 & 43 from the Chief Engineer, forwarding a statement showing the excess water charges due from certain Govt Institutions to the end of December 1942.

2) The Chief Engineer has suggested that with a view to recovering the water charges promptly the desirability of sending the bills direct to the Comptroller with the necessary authority to effect adjustment against the Contingent Grants of the several offices by making the required provision therefor in the Budget under 12 General administration

29) Submit for orders.

K/18 10/2

30) Two drafts are put up. Calling for further information

Sd/- illegible
28/6/43

To The Chief Engineer Mysore
No L/12577 D 26/6/43
Calls for a statement showing the arrears pending up to the end of March 43
to letter with such information

To The Principal Central College, Bgre.
The Chief Engineer Mysore
The Dy of Prisons

4803/L √43/L √248/L

6) Continuation Sheet 10 File No / Current No

Re Dr of Agriculture
Re Surgeon
Re Dy of Police
No L/25 78-83 dt 26-6-43
Requests him to arrange to recoup the arrears before the end of June 1943 & report the fact to Govt
To the Chief Engineer of Mysore P W D
No L 12584 dt 26-6-43
Forwards a copy of the above.
Letter No 5929 dt 28-6-43 from the Principal Central College, Bangalore stating that the bills have been passed & sent to the Chief Pay & Accounts officer Universities of Mysore for arranging Payments. Bills for Bensal Receipt of replies from other officers & the Chief Engineer Mysore P W D are being awaited

31) Bills 3/7 JM

Ans A Apl 5/7

32) yes 5/7 WS.

Letter No A H 567-12433 dt 6-7-43 from the Dr of Agriculture stating that arrangements have been made & adjustments are being made for Bensal. Receipt of replies from other officers will be expedited awaited

WMB 9/7

34) yes File the 20th with other papers 5/7 WS

Letter No AC 2509/42 dt 6-7-43 from the Dy Chief Engineer stating that the arrears of rent on Water charges have since been paid. Submitted for perusal.

VLG 9/7 JM 36) Put up request for the issue of the certificate from the Chief Engineer

10/7

Letter No 23447 dt 31-7-43 from the Chief Engineer of Dry Dock stating that the Executive Engineer, Bangalore Town & the Asst Engineer, Buckingham Canal have been directed to pay up the arrears immediately the grants for the current year are allotted. Submitted for perusal. Receipt of replies from other officers will be awaited

VLG 10/8 JM 38) There is another letter received from the Chief Engineer requesting orders on his proposal for recovery of water charges due from Govt depts

Rl put up

for 10/8/43

31/8/43

39) The letter referred to above is found at page 40) Put up and inviting the attention to this office letter No 41257 dt 26.6.43 & requesting him to expedite the action on the proposal called for therein

for 11/8/43

VLG 14/8 JM Issued with a draft letter for approval Issued No 23568 dt 16/8/43

16/8/43

845/2433

Continuation Sheet — File No / Current No MC C — of 4/42 — Page

Letter No 8-316-Dy 18-10-43 from the Chief Controller of Imprest P & S forwarding a statement showing the arrears & recoveries of water charges upto end of Dec 42 & the next two quarters ending with June 1943

(3) It is seen from the statement (Statement 'B') that the balance outstanding at the end of June 1943 was Rs 1746-7-0

submitted with reference to Para 40 supra

41) A draft fin. re charging a flat-rate & removal of meters in may be put up in the first instance for 15/11/43

42) " " " submitted for A draft Go for approval

43) A revised Comprehensive draft order is put up for approval (vide paras 12, 17, 18, 19, 26 dy 7 the notes supra)

44) The Secy of W & D may be consulted, in the first instance of any for approval & countersignature by Secy Fin.

Law Secy for 10/11/44

12-11-44 for

WD 1140—GPB—50 000—5-11-42

GOVT. OF INDIA

P 3577 IV
13 1 44

Subd)- The Go of 3rd Aug 1939 is a Compre hensive orders containing the classification of Govt buildings into different classes depending on the use to which they are put to, and indicating the procedure of fixing up water charges in respect of each Class and the mode of recovery

The reference of the Chief Engineer relates only to Class III buildings viz Govt buildings in which Govt offices are located and the difficulties experienced for Collecting water charges there of

The Govt order now proposed has only to bear reference to Class III buildings, so as not to affect the existing procedure in respect of other classes of buildings referred to in the Go Aug 1939

A modified draft is put up hereunto for approval or other orders as the required changes and amendments could not be effected in the draft of the L S G Secy

The off is based on the notes in the previous paras as minuted by the Comptr Jnl Secy and the Chief Engineer-

Law Secy

Comptr 16 5/2/44

Manager

7 SEP 1944 DEPT GOVT OF

Continuation Sheet No. File No. / Current No. 2433 / 162 of 41-42 Page

The draft Go sent up by the P. W Secy is submitted for orders

ill 6/2 The draft has been further amplified by suitable alterations & additions. Submitted. approved

Lawrence for 9/12/44

[illegible] 10/12/44

22.12.44

23.12.44

[illegible]

2 To The Secy to Govt P. W D
The Chief Engineer of Mysore
The Md Comm, Bcity thro PSL
The Comptroller
The Heads of other Depts

No L 9054-109 & 29-12-44

Passes orders in regard to the recovery of water charges due from Govt Buildings in Bcity

Press Note 8/31 JM

WD 0972—GPB—10,000—21-10-42

5768/15/L

GOVERNMENT OF MYSORE

Telegraphic Address

OFFICE OF
The Chief Engineer of Mysore,
Public Works Department,
Bangalore

No 17589
Encls 2

Date 25th March 1942

To

The Secretary to Government,
Law Department,
B A N G A L O R E

Sir,

Subject - Water Supply to Government Buildings in Bangalore City

---

Adverting to G O No L 1447-9/M1 158-35-6 dated 31-7-1939, passing orders on the above subject, I have the honour to forward herewith a copy of letter No 705 dated 24th February 1942, with a copy of its enclosure, received from the Executive Engineer, Water Supply Division, reporting the practical difficulties experienced in regard to the recovery of water charges on Government Buildings in which Government offices are located In order to obviate these difficulties, I request you to be so good as to obtain the sanction of Government to provide for these charges in the Budget under ~~under~~ "12 General Administration" and to adjust the same through the Comptroller, as already suggested in this office U O Note No 661 dated 16th April 1938, with the direction that the apportionment of these charges among the several subordinate offices of the various Departments may be undertaken by the Heads of the respective Departments

I have the honour to be,
S i r,
Your most obedient servant,

For Offg Chief Engineer of Mysore
(Absent on Tour)

V M S

16

Letter No 705 dated 24th February 1942 from the Executive Engineer, Water Supply Division, Bangalore, to the Chief Engineer of Mysore, Bangalore

---

Subject - Recovery of water charges on Government Public Buildings in which Government - Offices are located

---

I have the honour to bring to your kind notice that in Government Order No L 1447-9/M1 158-35-6 dated 31-7-1939, it has been ordered that the Government Public Buildings in which Government Offices are located, are of non-domestic in nature and all water consumed by them should be charged for without any free allowance at eight annas per 1000 gallons It has been further stated that these charges should be met out of the contingent grants of the respective offices and that where two or more offices are located in the same building, the apportionment of the charges among them may be on an equitable basis with reference to the number of officials and number of taps

While giving effect to these rules, a number of practical difficulties have been felt which are as follows -

1 As per rule, one ledger account is kept for one meter and one bill is prepared, but as per above instructions, a number of bills will have to be prepared against one meter account and recoveries watched by means of sub-ledger accounts This involves of good deal of clerical work

2 Regarding the number of officials working in each office, it has been found by practice that long after the bills have been prepared apportioning the amounts due from the several offices located in the building, intimations are received contesting the number of officials actually working This means that the bills originally prepared will have to be cancelled and fresh bills prepared, but in the meanwhile some of the offices will pay up the bills as per original bills and protest for the fresh bills

3 Generally there is long delay in paying up the water charges from the Government Offices though prompt action is being taken to send the bills in time and consequently there is very heavy arrears outstanding in the books of this office

To overcome the above difficulties, it is suggested

17

suggested that the amount of these bills be provided for in the State Budget under 12 General Administration and adjusted through the Comptroller as already suggested by the Chief Engineer

The amount payable by each office can be fixed up on the basis of the average consumption of the previous years actually gauged by the meters It would be easy for each office to provide this amount towards water charges in their respective budgets and the payment could be effected once for all through the Comptroller

The meters in all these Institutions could as well be removed and utilised for metering unmetered connections The meters are very costly now and as the consumptions in the Public Offices are fairly steady, these meters could be utilised for better benefit elsewhere

Further in some offices the consumptions are too poor being small offices and it does not appear necessary to have a meter at all

It would be a matter of great convenience if the head of the Department can undertake to pay up for all the water charges for all the offices directly under him in the City as this would minimise the work of billing and collecting Such Officer can himself apportion the charges among the various offices under him when once this office gives an idea of apportionment of these charges

A statement of arrears outstanding from the various offices in the City is enclosed herewith, for your kind information Most of them are pending from the year 1939 and the Municipality are pressing very much for the recovery of the same The offices have not responded to our frequent demands as they have their own reasons regarding grant etc The above suggestion, if followed, will solve all difficulties in the matter

matter and the Municipality also will have their dues in time

I, therefore, request you to kindly obtain early orders of Government in the matter

---

" C O P Y "

For Offg Chief Engineer of Mysore

25/5/[illegible]

V M S

P W. Department — Water Supply Division

Statement of arrears outstanding against Government Domestic Buildings to end of December 1941 - used as Government Offices

No	Meter No	Name of Building	Amount outstanding
1	2191	Police Inspectors Quarters	13/-
2	2206	Ballaoroole	46/-
3	2208	High Ground Police Station	65/-
4	2214	Grace Villa	12/-
5	2229	Womens Intermediate College	6/-
6	2230	Central Collage	278/-
7	2232	Director of Agriculture	--
8	2238	College of Engineering	27/-
9	2239	Do	46/-
10	2240	Observatory	11/-
11	2241	Central Collage Physics	331/-
12	2242	Do	110/-
13	2243	Do	500/-
14	2249	Intermediate College	160/-
15	2251	District Offices	202/-
16	2258	First Magistrate	-
17	2259	City Magistrate	1/-
18	2267	New Public Offices	220/-
19	2273	Live Stock Expert	15/-
20	2274	Veterinery Offices	55/-
21	2279	Building and Bangalore Divisions	166/-
22	2286	Old Public Offices	2,810/-
23	2329	Girls Guides	11/-
24	1961(Old)	Ulsoor Gate Police Station	19/-
25	1/1 c	Amildar Taluk Office	6/-
26	5496c	Head Master Central High School	50/-
27	7629	Chamarajapet Police Station	12/-
28	7458	Superintendent, Provincial Reserve Police	10/-
29	7441D	Veterinary Hospital	629/-
30	7752	Boys Middle School, Chamarajapet	59/-
31	8663	Chamarajendra Sanskrit College	8/-
32	8636	Victoria Hospital	3,140/-
33	8635	Minto Hospital	-
34	8666	Head Middle School, Fort	9/-
35	8697	Head Mistress, Vani Vilas	105/-
36	1332(old)	Kalasipalyam Police Station	19/-
37	8673	Central Police Station	87/-
38	8670	Principal, Medical School	45/-
39	8796	Commissioner, Boys Scout	9/-
40	8794	Head Mistress, Urdu Girls Middle School	43/-
41	8669	Head Master, Fort High School	34/-
42	7813	Head Mistress, Girls Middle School	12/-
43	7675	Maha Veda Patasala	5/-
44	8763	Senior Weaving Inspector	14/-
45	1057-EG	Head Master, Boys Middle School, Basavangudi	21/-
46	275(Old)	Basavangudi Police Station	50/-
47	10127	Head Mistress, Girls School Middle School, Basavangudi	16/-
48	182(f)	Head Master, High School, Malleswaram	101/-
49	2612(g)	Superintendent, Central Jail	5/-
50	2462	Do	3/-
51	2490	Do	3/-
52	2463	Do	1/-

20

53	2459	Superintendemt, Central Jail	1,166/-
54	2455	-Do-	5/-
55	2457	-Do-	126/-
56	2458	-Do-	52/-
57	2327	Head Master, Urdu Boys Middle School Seshadripuram	3/-
58	2344	District Superintendent of Police,Bangalore	1/-
59	2343	-Do-	1/-
60	2342	-Do-	1/-
61	2341	-Do-	1/-
62	2340	-Do-	1/-
63	2339	-Do-	1/-
64	2338	-Do-	1/-
65	2337	-Do-	1/-
66	2345	-Do-	1/-
67	96(Old)	Traffic Out-post, Seshadripuram	4/-
68	9382-H	Head Master, Middle School, Visvesvarapuram	110/-
69	33	Malleswaram Police Station	9/-
70	10290	Deputy Director of Public Instruction,Bangalore	2/-
71	844	Girls Middle School,Malleswaram	28/-
		Total Rs	11,214/-

(Sd) M L Narasimha Iyengar,

Executive Engineer,
Water Supply Division

** ** ** **

" C O P Y "

For Offg Chief Engineer of Mysore

V M S

IMMEDIATE

No 10984-6
ENCLS 5-Cards

PUBLIC WORKS ~~SECRETARIAT~~ Department

Dated Bangalore 24 December *194* 2

FROM

The Chief Engineer of Mysore,
~~Secretary to Government~~,
Public Works Department,
Bangalore

To

The Secretary to Government,
Law Department, Bangalore

SIR,

Subject - Arrears of water revenue due from certain Government offices under non-domestic and other connections

---

With reference to correspondence ending with this office reminder No 10224 dated 14th December 1942, I have the honour to inform you that heavy arrears of water revenue as shown in the accompanying statements due from certain Government offices under non-domestic and other connections to end of September quarter 1942 remain unadjusted for a long time, inspite of several demands to clear them

2 With a view to facilitate matters the Comptroller of Mysore, who was requested to intimate if he can effect necessary adjustments by raising due debits in the accounts of the respective offices, has replied that no adjustment without the accepted bills is possible in his office under the rules and that Government may be requested to direct the Departments concerned to pay up the arrears after obtaining additional grants, if necessary

3 In the case of these Government Departments it is not desirable to disconnect the service as per rules in force, since it is feared that such a step might result in hardship to officials and servants of the Department concerned

4 It may be mentioned here that if large amounts are left in arrears indefinitely, it will not be possible for the Municipality to balance their assets and liabilities

5 To overcome these difficulties the only course left for the prompt recovery of the water charges seems to be to send the bills direct to the Comptroller with the necessary authorisation to effect adjustment against the contingent grants of the several offices by making the required provision therefor in the budget under "12 General Administration" I am of opinion that this arrangement will automatically help the smooth working of the water supply and Municipality without the unnecessary and laborious correspondence involved under the existing system

6 I, therefore, recommend that the system explained above be brought into effect as early as possible and request orders of Government in the matter may kindly be communicated early

I have the honour to be,
S i r,
Your most obedient servant,

27/12/42
Chief Engineer of Mysore

PUBLIC WORKS DEPARTMENT — WATER SUPPLY DIVISION, BANGALORE

Arrears of water revenue due from certain Government Offices under Non-domestic to end of September 1942

Meter No. & Particulars.	Address of the consumer	Amount due.
2244/3 A.M. Central College Tiffin Room,	The Principal, Central College,	66- 4-
2216/23 Carlton House Garden	The Superintendent, Government Gardens, Lal-bagh, Bangalore.	159- 8-
2221/24 Ladies Club.	-do-	284- 4-
2222/25 Barney Park	-do-	4- 0-
2223/28 Maharani's College Garden	-do-	10-12-
2224/29 -do-	-do-	13-12-
2225/30 -do-	-do-	0- 4-
2235/32 Engineering College	The Principal, Engineering College,	24- 4-
2236/33 -do-	-do-	0- 4-
2237/34 -do-	-do-	32- 8-
51.57/M Fruit Research Station, Hessarghatta.	The Manager, Fruit - Research Station, Hessarghatta.	685- 8-
7197/207 Sir Puttanna Chetty Town-Hall Garden.	The Chairman, Sir Puttanna Chetty Town Hall	260- 4-
2154/319 Officer Staff Quarters.	The Chief Commandant, Mysore State Troops	189- 8-
2155/320 -do-	-do-	297- 8-
2156/321 -do-	-do-	165- 8-
2157/322 -do,	-do-	124- 8-
2152/49 Lancers	-do-	3187- 0-
2153/50 Transport Lines.	-do-	3059- 0-
2245/35 Central College Garden	The Superintendent, Govt Gardens, Lalbagh	19- 4-
2269/36 Revenue Survey Office Garden	-do-	0- 8-
2270/37 -do-	The Personal Assistant to the General Superintendent, Cauvery Power scheme	140- 4-
2271/38 Technilogical Institute Garden	The Superintendent, Govt Gardens Lalbagh	270-12-
2277/40 Central Industrial Workshop	The Superintendent, C.I. Workshop, Bangalore	169-12-
2278/41 -do-	Director of Industries & Commerce, Bangalore	132- 8-
2280/42 New Telephone Exchange	Superintendent, B P.L	30- 8-
2287/45 Cubbon park Garden	Superintendent, Govt. Gardens, Lalbagh	1053-6-0

2207/46	Ballabrooie, Palace Gardens	Superintendent, Govt Gardens, Lalbagh, Bangalore	78-12- 0
2315/47	Kumarapark Nursery	-do-	14- 4- 0
2292/48	Link & Uplands	-do-	10- 0- 0
7479/304	Govt. Electric Factory Qrs	The General Manager, Govt Electric factory	14- 8- 0
7478/305	-do-	-do-	9- 4- 0
7476/306	-do-	-do-	2- 8- 0
7474/307	-do-	-do-	7-12- 0
7473/308	-do-	-do-	1- 4- 0
7472/309	-do-	-do-	8- 4- 0
7480/310	-do-	-do-	67-12- 0
7470/316	-do-	-do-	22- 8-0
7480/312	Ganja Stores	Officer in charge, Ganja Stores	31- 8- 0
8650/346	Laundry, V V Hospital	Secretary, V V Hospital	9- 1- 0
8651/347	-do- Victoria Hospital	-do- Victoria Hospital	853- 8- 0
8660/349	Hydrant at Parvati Chandrasekara Dispensary	Superintendent, Government Gardens.	83- 8- 0
8659/350	Lawns at V V Hospital	-do-	62-12- 0
8656/351	Lawn in front of Medical Association	-do-	18- 0- 0
8657/352	Lawn in front of V V Hospital	-do-	429- 0- 0
8671/353	Hydrant, Quadrangle of Medical school		23- 0- 0
8653/354	at Sri K P P Dispensary		0-12- 0
8667/356	Lip Sultan Palace Garden	-do-	5- 8- 0
11587-11596/427	New Mental Hospital Garden	-do-	3112-12- 0
2353/436	Dharmambudhi Gardens	-do-	18- 0- 0
2466/455	Central College Hostel	The Warden, Central College hostel	327- 2- 0
2464/456	Central College Old Boys-Association	The President, Old Boys - Association, Central College	29- 8-
2436/471	Electric "A" Station	The Superintendent, Electric "A" Station	119-12-
183/522	New High School, Malleswaram	The Assistant Engineer, Buildings Range	869- 2-
2469/454	University Union	Secretary, University Union	331- 4- 0
189/524	Industrial & Testing-Laboratory	The Chief Chemist in charge Industrial & Testing Laboratory	1181- 9- 0
185/527	Forest Research Institute, Garden	The Superintendent, Government gardens	10-12-
51.530/F.M	Porcelain Factory, cooly block	The Manager, Government-Pocelain Factory.	331- 4-

105-/547	Lalbagh Garden	The Superintendent, Government Gardens.	385-
S1 597/G.M	Goodshed road-Construction.	The Superintendent, Way & Works M.S.Railways, Bangalore	48--
2661/604	District Board Office	The President, District-Board Buildings	338-12-
12045/670	Water cistern	The Superintendent, B.P & L.	38-8

J Amayaraman
Executive Engineer, 12/11
Water Supply Division.

GOVERNMENT DOMESTIC BUILDINGS

Sept qr 42

Meter No	Name of Buildings.	Amount.
2206/ A G.	"Bala Brooke", Private Secretary to His Highness the Maharaja of Mysore.	113- 1- 0
2215/A G. 2217/A.G. 2218/A.G.	"Carlton House" Chief Secretary to Government	152- 9- 0
2230/ A G	"Central College House Principal, Central College. 170- 4- 0 for gardens 110- 6- 0 for house	280- 10- 0
2310/ A G.	Cresent House , Supervisor, Cresent House.	24- 12- 0
2311/ A.G	Race View , Chief Secretary to Government. Sept qr Jail	283- 12- 0
2455/ G.G	Chief Jailor's quarter	28- 8- 0
2459/ G G	Superintendent, Central Jail	1478- 1- 0
2462/ G.G.	Chief Warden's Quarters	4- 8- 0
2463/G G	Deputy Jailor's quarters.	1- 8- 0
2470/ G.G.	Superintendent's quarters, Central Jail.	62- 8- 0
2514/ G G.	S.A.S Quarters, Central Jail	7- 8- 0

Aug 12/11

Executive Engineer,
Water Supply Division.

GOVERNMENT MIDDLE, HIGH SCHOOLS AND COLLEGES 26

Meter No.	Name of Buildings	Amount.
61/ M.G.	Middle School, Malleswaram. (Boy's)	91- 12- 0
182/ M G.	High School, Malleswaram	10- 4- 0
844/ M.G.	Government Middle School, Malleswaram (Girl's)	54- 8- 0
2229/ A G.	Women's Intermediate College, Palace Road.	16- 12- 0
2238/ A G.	Principal, College of Engineering.	27- 0- 0
2239/ A G.	-do- -do-	68- 0- 0
2241/ A G.	Principal, Central College	1566- 0- 0
2243/ A.G	-do- -do-	500- 0- 0
2272/ A.G	Principal, Sri Krishnarajendra - Technological Institute.	66- 12- 0
2327/ G.G.	Urdu Boys' Middle School	1- 8- 0
2329/ A G	Girl Guides.	10- 8- 0
3926/ B G	Government Middle School, Mamulpet	46- 8- 0
4146/ B G.	Arya Balika Patasala, Middle Section, Sultanpet.	18- 8- 0
5496/ C G.	Central High School	64- 0- 0
7752/ D G	Boys Middle School, Chamarajapet	60- 12- 0
7313/ D G	Girls Middle School, Chamarajapet	19- 8- 0
8663/ D.G	Principal, Chamarajendra Sanskrit College.	2- 12- 0
8666/ D.G.	Middle School, Fort	19- 8- 0
8670/ D,G,	Principal, Medical School, Fort.	44- 4- 0
~~8697/ D G~~	~~Vani Vilasa Institute.~~	
~~8794/ D G.~~	~~Urdu Girls Middle School, Fort.~~	
~~8796/ D G~~	~~Boy Scouts Head Quarter.~~	
9382/ H.G	Boys Middle School, Visweswarapuram.	24- 4- 0
10127/ B G	Girls Middle School, Basavangudi	21- 8- 0
10507/ B G	Boys Middle School, Basavangudi	25- 4- 0

12/4

Executive Engineer,
Water Supply Division.

2 7

GOVERNMENT OFFICES

Water No.	Name of Buildings up to Oct 62		Amount
186/ F.G.	Forest Research Institute, Malleswaram		19- 9- 0
2214/ A.G	Grace Ville. 1) Senior Surgeon 8- 0-0 2) Superintendent, Medical stores 9-12-0 3) District Medical officer 2- 0-0		19- 12- 0
2254/ A.G	Superintendent, Public Health Institute		26- 4- 0
2254/ C.G	Taluk offices. 1) Amildar, Taluk Office. 4- 8- 0 2) Amildar, South taluk 3-10- 0 3) Sub Registrar 5- 8- 0 4) Special Amildar 1- 8- 0 5) Taluk Police Office. 5-12- 0 6) Excise Range Office 0- 9- 0 7) Officer in charge of - Record of Rights. 1- 6- 0		27- 8- 0
~~2261/ A.G.~~	~~Inspector General of Police Offices.~~		
2267/ A.G.	New Public Offices. 1) Chief Conservator of Forests. 28- 12-0 2) Excise Commissioner 19- 12-0 3) The Special Deputy Commissioner 47- 8-0 4) Registrar of Joint 5- 0-0 5) I G of Registration. 7- 13-0 6) Revenue Commissioner 71- 4-0 7) Director of Public Instruction 80- 0-0		260- 1- 0
2273/ A.G	The Live Stock Expert, Seshadri Road.		28- 12- 0
~~2275/ A.G.~~	~~Director of Industries & Commerce~~		
2279/ A.G	Buildings & Bangalore Divisions - Assistant Engineer, Buildings Range 82-12-0 Executive Engineer, Bangalore Division 133-12-0		216- 8- 0
2286/ A.G	"Old Public Offices". 1 Chief Engineer, P.W.D 35-0-0 2. Comptroller to Govt. 57-7-0 3. Chief Secretary to Govt 145-2-0 4 Registrar of High Court 31-15-0		269- 8- 0
~~2288/ A.G~~	~~The Secretary, State Lri - Insurance Department.~~	~~100- 4- 0~~	
2354/ G.G	District Engineer, M.W.S. Bangalore		838- 4- 0
2457/ G.G.	Central Jail, Front Gate		375- 0- 0
2458/ G.G	Central Jail, General Barracks		62- 8- 0
7441/ D.G	Officer in charge, Veterinary Hospital		714- 4- 0
8652/ D.G	The Secretary, Victoria Hospital		6179- 12- 0
8658/ D.G	The Secretary, Vani Vilas Maternity		806- 13- 0
~~8665/ D.G.~~	~~Senior Weaving Inspector~~		

A27/12/4

Executive Engineer,
Water Supply Division

POLICE BUILDINGS.

Meter No	Name of building	Amount
47/ G.G	Rameswaram Police Station.	17- 8- 0
48/ G.G	Police Station Quarters, Rameswaram	10- 4- 0
794/ G.G Old.	Police Sub Inspector's Quarters, Rameswaram	2- 4- 0
956/ G.G.	Traffic Out Post, Seshadripuram.	9- 0- 0
2047/ G.G	Fountains in Risaldar's Street.	1017- 6- 0
2208/ G.G	High Ground Police Station	74- 0- 0
2636/ G.G	Four fountains in New Block, Subedarchattram Road	1163- 8- 0
2641/ G.G.	No.5, A Block, Subedar Chattram, Road, Bangalore City	15- 12- 0
6786/ G.G	Ulsoor Gate Police Station	45- 6- 0
7453/ D.G	Provincial Reserve Police Old Lines	191- 8- 0
7458/ D.G	Reserve Guard & Armory	155- 0- 0
7461/ D.G	Provincial Reserve Police Lines, Goripalya	764- 0- 0
7629/ D.G.	Chamrajapet Police Station.	14- 8- 0
8673/ D.G.	Central Police Station	55- 8- 0
8860/ D.G.	Kalasipalyam Police Station	20- 12- 0
10506/D.G	Basavangudi Police Station.	48- 6- 0

12/11

Executive Engineer,
Water Supply Division

F No 45]

GOVERNMENT OF MYSORE

gram
phone

OFFICE OF

ls 1637

The Chief Engineer of Mysore,

Bangalore,

Date 8th February 1943

To

RECY LAW DEPT 3 GOVT OF MYSORE

The Secretary to Government,

Law Department,

Bangalore

Sir

Subject - Excess water charges due from certain Government Institutions to end of December 1942

I have the honour to inform you that heavy arrears of excess water charges are outstanding against the marginally noted Institutions to end of December 1942, I, therefore, request you to be so good as to obtain and communicate orders of Government as to the course to be adopted for recovering these arrears

		Amount due to end of 12/1942
		Ps
1	Principal, Central College, Meter No 2241/A G	2,366- 8-0
2	--Do- No 2243/A G	600- 0-0
3	Executive Engr Bangalore Dn ,	82-12-0
4	Asst Engr Buildings Range,	133-12-0
5	Superintendent, Central Jail, Meter No 2459/A G	1,478- 1-0
6	Veterinary Hospital 7441/A G	739- 4-0
7	Victoria Hospital, 8652/D G	6,179-12-0
8	Superintendent of Police, Police Lines in Risaldar St	1,017- 6-0
9	Dist Superintendent of Police, Police Lines, Subedar Chatram Road	1,123- 8-0
10	P R P , New Lines, Goripalyam	734- 0-0
	Total Rs	14,454-15-0

Whether the services may be disconnected as per rules may kindly be intimated

2 In this connection, reference is invited to correspondence ending with this office letter No 10984 dated 24th December 1942, regarding arrears of water revenue due from certain Government offices under nondomestic and other connections wherein it was suggested that the bills may be adjusted through the Comptroller Orders of Government on the proposal may kindly be communicated very early

I have the honour to be,
Sir,
Your most obedient servant,

8/2/43

Chief Engineer of Mysore

V M S/4/6th

Appendix F G—1]

SUBJECT

70

Diary No of letter replied to

Section

File No

Serial No

T 8 77

No L/2577

To

The Chief Engineer Irrigation
P W D

Sir,

With reference to your letter No IE371 dated the 8th July 1977 re excess water charges due from certain Govt Institutions upto end December, I am directed to request you to be so good as to obtain and forward a statement showing the arrears pending upto end of March 1977 in the

General and Revenue Secretariat

( )

the *19*

Date of issue

Signed by

List of enclosures

Copied by

Examined by

WD 086—GPB—40 000—30 7 40

behalf. I suggested that
I should ascertain whether any of these
officers have subsequently paid up
the arrears due in respect of their
dues. A very civil reply was received
from the
Town
Inspector
Law Dept.

Appendix F G—1]

SUBJECT

32

Section

File No

Serial No

Diary No of letter replied to

No L/25-78-83

To

General and Revenue Secretariat

( )

the *19*

(1) The Principal. central college Bangalore

(2) ~~the~~ Chief Engineer

(3) D S of Prisons

(4) Dir of Agriculture

(5) Senior Surgeon

(6) Supt of Police —

Date of issue 24/6

Signed by

I am directed to state that it has been brought to the notice of Govt that the monthly rates arrears of excess water charges are due from the ~~monthly rates~~ -notwithstanding repts to the end

(1) Principal central college
(a) Meter no 2441 2366/87
(b) -do- 2443 600/- 2966/87

(2) Executive Engr Bangalore Div 89/12
(a) Asst Engr Building 137/12-
(b) Asst Engr Roads 2167/87

List of enclosures

(3) Supdt central jail
Copied by Meter no 2445 1497/11-

(4) Victoria Hospital
Examined by 2442 739/12

(5) Victoria Hospital 865/12 Dy 6179-12-0

(6) (a) Supdt of Police Civil Lines Mysore sheet 1017-6-0
(b) D.S.P. D R A Lines Bangalore Cheluvambha 1123-8-0
Civil Lines Bangalore 2354-14-0

7 Dec 1942 and to request
to be so good as to arrange to
pay the same before the 30th June 1943
& report the fact of having done
so to us

Yours
for
Dir Legislation
Land Dept

Memorandum L/2584 of 26/6
Copy sent to the Chief Engr Roads &
PWD for info with reference to
letter No 14371 of 8 & 2 1943

for
Dir
Legislation
Land Dept

UNIVERSITY OF MYSORE

3643

CENTRAL COLLEGE,

Bangalore dated 28th June 1943

LEGY LAW DEPT. 2 JUL 1943 GOVT OF MYSORE

GEN DEPT SEC 1 JULY 1943 L S G BRANCH

To

The Secretary to the Government of
His Highness the Maharaja of Mysore,
Law Department, BANGALORE

Sir,

With reference to your letter No L 12578-86, dated the 26th June 1943, I have the honour to state that the bills noted therein pertaining to arrears of excess water charges have been passed for payment and sent on to the Chief Pay and Accounts Officer, University of Mysore, for arranging payment before the end of the current official year

I have the honour to be,
Sir,
Your most obedient servant,

Principal 28/6/43

Tel Address Agri Bangalore
Code 5th Edition A B C

DEPARTMENT OF AGRICULTURE,

MYSORE STATE

No A.H. /42-43.

Dated 6th July 1943

From M. J. NARASIMHAN, Esq, B A,
Director of Agricuiture in Mysore,
Bangalore

To
THE LAW SECRETARY
to the Government of His Highness
the Maharaja of Mysore,
Bangalore.

Sir

With reference to your letter No.L.12578-83 dated 26th June 1943, regarding payment of the arrears of excess water charges for the Veterinary Hospital, I have the honour to state that Bill No.7441/D. G dated 3rd March 43, for Rs 764-4-0 due up to the end of March 1943, received from the Executive Engineer, Water Supply Division, Bangalore, was returned on 2-4-1943 after acceptance, for effecting needful adjustment. The amount of Rs 739-4-0 due up to end of December 1942 is included in the above Bill for Rs 764-4-0.

I have the honour to be,
S i r ,
Your most obedient servant,

Director of Agriculture.

DKM

2) Correspondence ending to

WD 08608—GPB—15 000—8-7-35

F No 46]

GOVERNMENT OF MYSORE 36 225 P of 43

Tele gram phone

OFFICE OF 283 1

the Inspector General of Police

in Mysore,

Bangalore. 10 JULY 1943

No AC.2509/42-43
Encls

Date 6th July 1943

CHIEF SECRETARY * 8 JUL 1943 GOVT OF MYSORE

Protection

GEN & REV SECR 9 JUL 1943 K 7

To

The Chief Secretary to
the Government of Mysore,
Bangalore

Sir

Subject - Arrears of excess water charges on Police buildings

---

In reply to your letter No L 12578-83 dated 26th June 1943, I have the honour to state that the arrears of excess water charges have since been paid

I have the honour to be
Sir,
Your most obedient servant,

Inspector General of Police

SNS

2) Correspondence ending here

WD 0000—GPB—15 000—8-7-35

Mun 162-161-9 42

2344-7

MEMORANDUM

From

The Chief Engineer of Mysore,
Bangalore.

To

The Secretary to Government,
Law Department, Bangalore.

3/31

SECR. T

3 AUG 1943

845

L. S. G. BRANCH

SECY LAW DEPT

Sir,

Arrears of excess water charges due from the Executive Engineer, Bangalore Division, and the Assistant Engineer, Buildings Range

---

Adverting to your letter No L 12578-83/M1 dated 26-6-1943 on the above subject, I have the honor to state that it has been reported by the Executive Engineer, Bangalore Division, and the Assistant Engineer, Buildings Range, that the arrears could not be paid last year for want of adequate grants under 'contingencies ' They have been requested to pay the same immediately the grants for the current year are allotted

I have the honour to be,
Sir,
Your most obedient servant,

26/6/43

CHIEF ENGINEER OF MYSORE

WD 04077—GPB—1 0 resms—1 6 4)
CRS/28-30

[*Please reply overleaf*

MEMORANDU

Reply from | *To*

Mul 162-41-2 42

of H H the Maharaja

No 46]

GOVERNMENT OF MYSORE 39 2433

2265-6 803

MEMORANDUM 36

From

The Chief Engineer of Mysore,
Public Works Department,
Bangalore

To

The Secretary to Government,
Law Department, Bangalore

30 1943

Water supply to Government Buildings in Bangalore city - Recovery of water charges-

---

Sir,

I have the honour to invite kind reference to correspondence ending with this office reminder No. 20741 dated 3-5-1943 on the above subject and to request you to be so good as to communicate orders of Government regarding removal of meters from the Government Buildings and charging a flat rate at a very early date.

I have the honour to be,
Sir,
Your most obedient servant,

31/7/43

CHIEF ENGINEER OF MYSORE.

KS/28-29

WD 02661—GPB—2 000—2 4 24

[*Please reply overleaf*

KS/18th

MEMORANDUM

Reply from | *To*

MEMORANDUM

Reply from | *To*

2 Lpl-2 42

of H H Kt Halenga

GOVERNMENT OF MYSORE

OFFICE

The Chief Engineer of Mysore
Public Works Department,
Bangalore

Dated 21 OCT 1943

No. 836
Encls 1

To The Secretary to Government,
Law Department, Bangalore

Arrears of Water charges on Government buildings

Sir

With reference to your letter No L 2156 dated 19-8-43 on the above subject, I have the honour to forward herewith a copy of the statement showing the arrears and recoveries of water charges up to end of December '42 and the next two quarters ending with June 1943 It may be seen that the balance outstanding at the end of June '43 was Rs 1746-7-0

I have the honour to be,
Sir,
Your most obedient servant,

19/10/43

CHIEF ENGINEER OF MYSORE.

KS/18th

Reply from

Reply from

Mun 162-41-2 42

Water Supply Division

Buildings from December1942 to June 1943

yments ceived	Balance	Demand from January 43 to end of June 1943.	Payments received	Balance of the later half year
4	5	6	7	8
2,366 - 8 - 0	-	1,548 - 8 - 0	1,548 - 8 - 0	-
600 - 0 - 0	-	185-13 - 0	185 -13 - 0	-
-	82-12-0	13 - 3 - 0	-	13-3-0
-	133-12-0	21 - 5 - 0	-	21-5-0
1,478 - 1- 0	-	2,623 - 2 - 0	2,623 - 2 - 0	-
739 - 4 - 0	-	50 - 0 - 0	25 - 0 - 0	25-0-0
6,179 -12 - 0	-	4,338 - 7 - 0	4,120 - 0 - 0	218-7-0
734 - 0 - 0	-	646 - 12- 0	431 - 8 - 0	215-4-0
1,123 - 8 - 0	-	596 - 4 - 0	50 - 0 - 0	546-4-0
965 - 2- 0	52 - 4 - 0	438 - 4 - 0	-	438-4-0
4,186 - 3 — 0	268-12—0	10461- 10 — 0	8,983-15— 0	1,477 - 11—0

Sd C N Shama Rao,
Executive Engineer,
Water Supply Division

Copy "

Engineer of Mysore,

Public Works Department

Statement showing the arrears due

Meter No.	Name of building.	Arrears up to , of December 19
1	2	3
2241.	Central college	2,366 - 8 - 0
2243	"	600 - 0 - 0
2279	Executive Engineer, Bangalore Division.	82 - 12- 0
"	Assistant Engineer, Buildings Range	133 - 12-0
2259	Superintendent Central Jail	1,478 - 1 - 0
7441.	Veterinary Hospital	,739 - 4 - 0
8652.	Victoria Hospital	6,179 -12 - 0
7461.	P.R.P. Lines at Goripalya	734 - 0 - 0
2336	Police lines at Subedar Chatram road	1,123 - 8 - 0
2047	Do at Risaldar Street	1,017 - 6 - 0
	Total	14,454 - 15 - 0

L 9054-109

Mul 62-41-2 46

G R S App F G S

GENERAL AND REVENUE SECRETARIAT

(Continuation sheet draft form) –

Dr 29/2

Dr –

Proceedings of the Govt of H H the Maharaja of Mysore

Read –

G O no d 14447-9/158-35-6 dated the 31st July/3rd Aug 1939 passing orders on the classification of various Govt buildings in Bangalore city for purposes of regulating water supply to those buildings and collection of water charges thereon and directing inter alia that ~~that~~ public buildings in which Govt offices are located and are classified as class III buildings be treated as buildings of a non-Domestic nature and water charges thereon be levied at 8 annas per thousand gallons without any free allowance and that such charges be met out of the Contingent grants of the respective offices, the apportionment being made on an equitable basis with reference to the number of officials, number of taps etc

2) Correspondence ending with

WD 03603—GPB—15 000—8-7-35

letter No. 8316 dated 18.10.1943 from
the Chief Engineer of Mysore bringing
to notice certain practical difficulties
experienced in regard to the recovery
of water charges in respect of the
class of buildings referred to above
resulting in the accumulation of
arrears to the extent of Rs 1746/-
as at the end of June 1943 and suggesting
certain remedial measures for
the prompt realisation of these water
charges from the officers concerned.

Order No

The difficulties indicated by the
Chief Engineer are (1) that a number of
bills have to be prepared against one meter
installed in an office building where a
watched by means of Sub Ledger account
which involves a good deal of clerical work
and (2) that bills originally prepared
will have to be cancelled as & when intimation
is received cancelling the number of
officials actually working in each office
each time, when again is protested by some of
the officers who would have paid for the original bills

number of bills would
be reduced

G R S App F G 3

GENERAL AND REVENUE SECRETARIAT

(Continuation sheet draft form)

GG

2 To overcome these ~~obvious~~ difficulties which have ~~already~~ resulted in the accumulation of water charges, the remedies proposed are (1) to fix up the water charges on the strength of each office as last apportioned and to take this figure as constant for purposes of fixing the charges subject to revision once in five years & (2) to remove the water meters of these office buildings as the average of the last few years gives an idea of the consumption of water in each office,

3 After a careful examination of the several aspects of the question as above, ~~with reference to the working difficulty brought to notice and the remedial measures proposed in regard to levy of water charges in respect of Govt buildings in which Govt offices are located~~ Govt are pleased to direct as follows:-

1) That ~~Govt~~ Depts of Govt when have delayed the payment of their water bills beyond

WD 03603—GPB—15 006—8-7-35

may be asked to settle their arrears immediately, debiting the same to their Contingent grants (add grant being applied for, if the Sanctioned grants are insufficient) and any further delay on the part of the depts to pay up the bills may be brought to the notice of Govt,

2) ~~The~~ The Strength of each office be taken as a Constant figure for purposes of apportionment of water charges on the basis of that existing when the last apportionment was made, subject to revision once in five years;

and 3) ~~the~~ the average Consumption of water in respect of each office for the ~~period of~~ last three years as metered may be taken as the Unit of future Consumption and charged for accordingly, and the meters installed in these buildings be Removed for use in other buildings, unless there retention is considered necessary in cases where heavy Consumption of water noticed

The Chief Engineer is requested to take necessary further action in accordance with ~~towards~~ of these directions ~~referred~~

G R S App F G 3

GENERAL AND REVENUE SECRETARIAT

(Continuation sheet draft form)

effective 4/6

~~above~~ and make ~~for~~ arrangements for very early collection of the outstanding arrears. ~~and prevent accumulation of arrears~~

Sec'y to Govt Law Depts bm 4/2

To
The Sec'y to Govt PWD
The Chief Engineer of Mysore
The Mc Comrs, Bangalore City Municipality
The Comptroller
The Heads of Offices Depts

cc WJG 4/2

WD 03603—GPB—15 000—8-7-35

PROCEEDINGS OF THE GOVERNMENT OF HIS HICHNESS THE MAHARAJA OF MYSORE

Read —

Government Order No.L.1447-9/Ml.158-35-6 dated the 31st July/3rd August,1939 passing orders on the classification of various Government buildints in Mangalore City for purposes of regulating water supply to these buildings and collection of water charges thereon and directing inter alia that public buildings in which Government Offices are located and are classified as Class III buildings be treated as buildings of a non-domestic nature and water charges thereon be levied at eight annas per thousand gallons without any free allowance and that such charges be met out of the contingent grants of the respective offices, the apportionment being made on an equitable basis with reference to the number of officials, number of taps etc.

2. Correspondence ending with letter No.8316 dated the 16th October,1943 from the Chief Engineer of Mysore bringing to the notice of Government certain practical difficulties experienced in regard to the recovery of water charges in respect of the class of buildings referred to above, resulting in the accumulation of arrears to the extent of Rs.1,746/- up to the end of June,1943, and suggesting certain remedial measures for the prompt recovery of these water charges from the offices concerned.

Order No.L. 9054-109/Ml 162-41-2

Dated, Mangalore 29 th February, 1944.

The difficulties indicated by the Chief Engineer are (1)that a number of bills have to be prepared against one meter installed in an office building where a number of offices would be located and recoveries from each office watched by means of sub-ledger accounts which involves a good deal of clerical work and (2) that bills originally prepared will have to be cancelled as and when intimation is received contesting the number of officials actually working in each office and fresh bills prepared each time, which again is protested, by some of the officers who will have paid the charges as per original bills.

2. To overcome the difficulties which have resulted in the accumulation of water charges, the remedies proposed by him are (1) to fix up the water charges on the strength of each office as last apportioned and to take this figure as constant for purposes of fixing the charges subject to revision once in five years and (2) to remove the water meters of these office buildings as the average of the last few ~~fixx~~ years gives an idea of the consumption of water in each office

3. After a careful examination of the several aspects of the question as above, Government are pleased to direct as follows:-

(1) the Departments of Government which have delayed the payment of their water bill so far may be asked to settle their arrears immediately debiting the same to their contingent grants (additional grant being applied for, if the sanctioned grants are insufficient) and any further delay on the part of the Departments to pay up the bills may be brought to the notice of Government; and

(2) the strength of each office be taken as a constant figure for purposes of apportionment of water charges on the basis of that existing when the last apportionment was made, subject to revision once in five years; and

(3) the average consumption of water in respect of each office for the last three years as metered may be taken as the unit of future consumption and be charged for accordingly, and the meters installed in these buildings be removed for use in other buildings, unless their retention is considered necessary in cases where heavy consumption of water is noticed.

The Chief Engineer is requested to take necessary further action in accordance with these directions and make effective arrangements for the very early collection of the outstanding arrears.

for Secretary to Government,
Law Department.

To

The Secretary to Government, Public Works Department.

The Chief Engineer of Mysore

The Municipal Commissioner, Bangalore City.

The Comptroller to Government.

The Heads of other Departments.